

Company: Sol Infotech Pvt. Ltd.
Website: www.courtkutchehry.com

HIDES (GRADING AND MARKING) RULES, 1937

CONTENTS

- 1. Short title and application
- 2. Grade designations
- 3. Definition of quality
- 4. Grade designation marks
- 5. Method of marking

SCHEDULE 1:- <u>SCHEDULE 1</u>

SCHEDULE 2 :- <u>SCHEDULE II</u>

HIDES (GRADING AND MARKING) RULES, 1937

In exercise of the powers conferred by Sec. 3 of the Agricultural Produce (Grading and Marking) Act, 1937 (1 of 1937), the Governor General in Council is pleased to make the following rules, which have already been published as required under the section mentioned above.

1. Short title and application :-

- (1) These rules may be called the Hides (Grading and Marking) Rules, 1937.
- (2) They shall apply to hides produced in India.

2. Grade designations :-

Grade designations to indicate the quality of hides (kips, buffaloes and calves) are set out in column 1 of Schedule I.

3. Definition of quality :-

The quality indicated by such grade designations is set out, against such designations, in columns 2 to II of Schedule 1.

4. Grade designation marks :-

The grade designation mark shall be indicated by 2, 3 or 4 holes of 1 [6 mm] diameter, representing A, B or C grades respectively.

1. Subs. by S.O. 1335, dated 25th April, 1962, for the figure 1/4"

5. Method of marking :-

The holes shall be punched on each hide at the root of the tail at a distance of 2(6 mm] from each other and shall be arranged as shown in Schedule II. A lead seal bearing the word AGMARKon one side and a letter representing one of the weight groups namely H, M, L, or C, as the case may be, on the other, shall be secured to each hide by a piece of twine tag which should be passed through all the holes. The place of packing shall also be indicated on the lead seal in code letters.

This rule prescribes the method of marking. It lays down that holes shall be punched on each hide at the root of tail at a distance of 6 mm from each other as provided in Schedule II. The rule further provides for the affixing of a lead seal with a twine bearing the word "AGMARK" on one side and a letter of the weight group. It should also show the place of packing.

SCHEDULE 1
SCHEDULE 1

(See rule 2 and rule 3)								
(See roles 2 and 3)								
Grade desiptation and definition of quality for hides (kips. Buffaloes and Calves) produced in India								
	Definition of quality							
	Special characteristics respecting state or condition		General characteries					
		Trimmed weight prior						

	Constitu-	Branding-	scab, sores	Marks due	Scratches	Player's marks W	arbles and	State of Weight	Limits of We	eight
	tional	Iron marks	and skin disease	to external		and cuts	wrable holes	groups		
		IIIai KS	marks	injuries			noies			Buffal
										Kids hides
1	6	3	4	5	6	7	8	9 10	11	12
A	lliilfi fiofD	Not allowed	No pox, sore or	Not allo-	One small	No deep cuts	One open and	The hides shall	27 kg over 18 to 27 kg.	
	yonigor		mdrks of skin dis-	wed *	superficial scr-	allowed. Not	not more than	reasonably clean		
	ddleagpd		eases allowed, but	atch not	affec-	more than 4	3 blind wrab-	and free from flesh		
	aunialwith		one smell sore may	ting the	shallow cuts	bles allowed.	fat and extraneous			
	oribrnar-		be allowed if no	grain alllowed		other than on		matter. Horns, ears		
	boragnsof		on the butt.		102 mm.of the	the butt per-		feet from a	bove the	
	of emaciation					outer edge of	mitted.S	fetlocus) and tail		
					the neck or			(beyond 4 inches) shall		
					belly portion only.			be removed	1.	
В	Slight rib	Not more than	No pox or skin dis-	permitted	Superficial	Shallow cuts	Not more than	Do	Heavy (H)	60 Ib.
and		28 Ib. and								
	marks allo-	one brand	ease marks allow-	on belly.*	scratches not	at allowed and	5 open and 8	over	over.	
	wed.	mark allowed	Two small small sca-		affecting the	one deep cut	blind warbles	Do Medium (m)		10 to 60 lb 18 to
28IB		which may	bs or sores allowed		grain allowe	id if not on the	allowed.			
		only be on the	if not on the butt.		grain allowed					
		belly, neck or	In the case of kips							
*. Wı	rable holes a			h can be o	pened with a	a blunt ske	wer.	T	T	
		cheek	and buffalo hides							
			these may be on the							
			butt provided they							
			are within							
			51 mm the							

C **		Rib marks	At least one	At least half the		Allowed if	Reasonably	Shallow cuts	Not more than	Do Li
ght (L)		25 to 40 Ib.	8 to 18 Ib.							
	freely	half of the hide	hide shall be un	on neck,	free from deep	allowed. A rea-	10 open and	Calg(C)	Under 25 lb	Under 8
IB.										
	allowed	shall be free	affected.	belly, or	scratched.	sonable num	a reasonable			
		from brand		below hip		ber of deep	number of blind			
		marks.		joints.'	scratched.	cuts or holes	warbles allowed			
						permitted if not				
						on the butt. \$				

¹ Warble holes are holes or spots which can be opened with a blunt skewer. 3

- ** Bull hides weighing over 5kg shall not be graded higher than C. Young bull hides up to 12 Ib. may be placed in B grades but not in A.
- * In the case of heavy and medium weight buffaloes only "one sore or cut mark on the hair or flesh side within of the spine" may be permitted.

SCHEDULE 2 SCHEDULE II

Grade Designation Marks for hides and the method of marking (See rule 5)

^{\$} shallow cuts not exceeding one-fourth of the thicknes of the hide.