

**ALL INDIA INSTITUTE OF PHYSICAL MEDICINE AND  
REHABILITATION, BOMBAY (PROSTHETIC ENGINEER)  
RECRUITMENT RULES, 1995**

CONTENTS

1. Short title and commencement
2. Number of post, classification and scale of pay
3. Method of recruitment, age limit, qualification etc
4. Disqualification
5. Power to relax
6. Saving

**SCHEDULE 1 :- SCHEDULE**

**ALL INDIA INSTITUTE OF PHYSICAL MEDICINE AND  
REHABILITATION, BOMBAY (PROSTHETIC ENGINEER)  
RECRUITMENT RULES, 1995**

G.S.R. 130, dated 22nd February, 1996'.-In exercise of the power conferred by the proviso to Art. 309 of the Constitution, and in supersession of the All India Institute of Physical Medicine and Rehabilitation, Bombay (Prosthetic Engineer) Recruitment Rules, 1975, except as respects things done or omitted to be done before such supersession, the President hereby makes the following rules regulating the method of recruitment to the post of Prosthetic Engineer in All India Institute of Physical Medicine and Rehabilitation, Bombay, namely :-

**1. Short title and commencement :-**

(i) These rules may be called the All India Institute of Physical Medicine and Rehabilitation, Bombay (Prosthetic Engineer) Recruitment Rules, 1995.

(ii) They shall come into force on the date of their publication in the Official Gazette.

**2. Number of post, classification and scale of pay :-**

The number of said post, its classification and the scale of pay attached thereto shall be as specified in columns (2) to (4) of the Schedule annexed to these rules.

**3. Method of recruitment, age limit, qualification etc :-**

The method of recruitment, age limit, qualification and other matters relating to the said post, shall be as specified in columns (5) to (14) of the said Schedule.

**4. Disqualification :-**

No person,-

(a) who has entered into or contracted a marriage with a person having a spouse living, or

(b) who, having a spouse living, has entered into or contracted a marriage with any person, shall be eligible for appointment to the said post, provided that the Central Government may, if satisfied that such marriage is permissible under the personal law applicable to such person and the other party to the marriage and that there are other grounds for so doing, exempt any person, from the operation of this rule.

**5. Power to relax :-**

Where the Central Government is of the opinion that it is necessary or expedient so to do, it may, by order, for reasons to be recorded in writing and in consultation with the Union Public Service Commission relax any of the provisions of these rules with respect to any class or category of persons.

**6. Saving :-**

Nothing in these rules shall affect reservation, relaxation of age-limit and other concessions required to be provided for the Scheduled Castes, Scheduled Tribes, Ex-servicemen and other special categories of persons in accordance with the orders issued by the Central Government from time to time in this regard.

**SCHEDULE 1**

**SCHEDULE**

Sl. No.	Posts	Present scale	Revised scale	
1	2	3	4	
		Rs.	Rs.	
		Group 'D'		
1.	All posts carry	(a) 160-2-170	750/- (Fixed)	Until the em
	ing present scales			ployees concer
	specified in			ned are

	Co			brought
	lumn 3.			over on the
				regular
				scale
				after
				attaining
				the
				prescribed
				age of
				recruit
				ment.
		(b) 180/- (Fixed)		
		(c) 196-3-220-EB-3-232		
		(d) 200-3-212-4-232-EB-	750-12-870-EB-14-940	
		4-240		
		(Selection Grade)		
2.	All posts carry	(a) 200-3-206-4-234-EB-		
	ing present scales	4-250		
	specified in Co	(b) 200-3-212-4-232-EB-		
	lumn 3.	4-240-5-250	775-12-955-EB-14-1025	
		(c) 210-4-226-EB-4-250		
		(d) 200-3-212-4-232-EB-		
		4-240		
3.	do	(a) 210-4-250-EB-5-270		
		(b) 210-4-250-EB-4-270	800-15-1010-EB-20-1150	
		(c) 210-4-226-EB-4-250-		
		EB-5-290		
		Groups 'C' and 'B'		
4.	do	225-5-260-6-290-EB-	825-15-900-EB-20-1200	
		6-308		
5.	do	(a) 225-5-260-6-326-EB-		
		8-350	950-20-1150-EB-25-1400	
		(4) 260-6-326-EB-8-350		

6.	do	(a) 260-6-290-EB-6-326-		
		8-366-EB-8-390-10-	950-20-1150-EB-25-1500	
		400		
		(b) 290-6-326-EB-8-350		
7.	do	(a) 260-8-300-EB-8-340-		
		10-380-EB-10-430		
		(b) 290-6-326-8-350-EB-	975-25-1150-EB-30-1540	
		8-390-10-400		
8.	do	260-8-300-EB-8-340-	975-25-1150-EB-30-1660	
		10-360-12-480		
9.	do	320-6-326-8-390-10-	1150-25-1500	
		400		
10.	do	(a) 330-8-370-10-400-		
		EB-10-450		
		(b) 330-8-370-10-400-	1200-30-1440-EB-30-1800	
		EB-10-480		
11.	do	(a) 330-10-380-EB-12-		
		500-EB-15-560		
		(b) 330-10-350-EB-380-		
		15-500-EB-15-560		
		(c) 330-8-370-10-400-		
		EB-10-500-15-530	1200-30-1560-EB-40-2040	
		(d) 290-8-330-10-380-		
		EB-12-500-EB-15-		
		560		
		(e) 290-10-350-EB-12-		
		410-EB-15-500		
12.	do	(a) 380-12-500-15-530		
		(b) 380-12-500-EB-15-	1320-30-1560-EB-40-2040	
		560		

13.	do	(a) 380-12-440- EB-15- 560-EB-20-620		
		(b) 380-12-440- EB-15- 560-EB-20-640	1350-30-1440-40- 1800-EB-	
		(c) 425-15-530- EB-15- 560-20-600	50-2200	
		(d) 470-15-560- 20-580		
14.	All posts carry	(a) 425-15-560- EB-20- 640		
	ing present scales	(b) 425-15-500- EB-15- 700		
	specified in Co	(c) 455-15-560- EB-20- 700		
	lumn 3	560-20-700	1400-40-1800-EB- 50-2300	
		(c) 455-15-560- EB-20- 700		
15.	do	(a) 425-15-500- EB-15- 560-20-700-EB- 25- 800		
		(b) 425-15-500- EB-15- 560-20-640-EB- 20- 700-25-750	1400-40-1600-50-2 300-EB-	
		(c) 440-15-515- EB-15- 560-20-700-EB- 25- 750	60-2600	
		(d) 470-15-530- EB-20- 650-EB-25-750		
		(e) 440-20-500- EB-25- 700-EB-25-750		
16.	do	(a) 550-20-650- 25-800		
		(b) 550-20-650- 25-750	1600-50-2300-EB- 60-2660	

		(c) 550-20-650-25-700		
		(d) 550-25-750		
17.	do	(a) 500-20-700-EB-25-		
		900		
		(b) 500-25-750-30-900		
		(c) 550-20-650-25-750-	1640-60-2600-EB-75-2900	
		EB-30-900		
		(d) 550-25-900		
		(e) 550-25-750-EB-30-		
		900		
18.	do	(a) 650-30-740-35-880-		
		EB-40-960		
		(b) 700-30-760-35-900	2000-60-2300-EB-75-3200	
		(c) 650-30-740-35-880-		
		EB-40-1040		
		(d) 775-35-880-40-1000		
19.	-do	650-30-710	2000-60-2120	
20.	do	(a) 650-30-740-35.810-		
		EB-35-880-40-1000-		
		EB-40-1200	2000-60-2300-EB-75-3200-	
		(b) 650-45-1010-EB-45-	100-3500	
		1100-50-1200		
		(c) 775-35-880-40-1000-		
		EB-40-1200		
21.	do	(a) 840-40-1000-EB-40-		
		1200	2375-75-3200-EB-100-3500	
		(b) 840-40-1040		